

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Open haspels Manual "AM"						
AM 2010ST	820.249	L	---	---	20	109,00
AM 200830	820.240	L	8 - 5/16"	30	20	148,50
AM 200840	820.241	L	8 - 5/16"	40	20	170,00
AM 201025	820.242	L	10 - 3/8"	25	20	165,50
Gesloten haspels "MP"						
MP 200805	820.012	L	8 - 5/16"	5	20	119,00
MP 201003	820.013	L	10 - 3/8"	3	20	122,50
Gesloten haspels "MNP"						
MNP 200812	820.016	L	8 - 5/16"	12	20	144,00
MNP 201010	820.017	L	10 - 3/8"	10	20	157,50
Gesloten haspels "MGP"						
MGP 200815	820.018	L	8 - 5/16"	15	20	173,50
MGP 201012	820.019	L	10 - 3/8"	12	20	187,00
Gesloten haspels "MN"						
MN 203810	820.001	L	8 - 5/16"	10	20	180,00
Gesloten haspels "MD"						
MD 203812	820.010	L	8 - 5/16"	12	20	217,50
MD 201010	820.011	L	10 - 3/8"	10	20	234,00
Gesloten haspels "MC"						
MC 183820ST	825.003	L	---	---	18	291,50
MC 180810	820.020	L/W(40)	8 - 5/16"	10	18	316,50
MC 180815	820.021	L/W(40)	8 - 5/16"	15	18	350,50
MC 180820	820.022	L/W(40)	8 - 5/16"	20	18	383,00
MC 181010	820.023	L/W(40)	10 - 3/8"	10	18	323,00
MC 181015	820.024	L/W(40)	10 - 3/8"	15	18	360,50
MC 181310	820.025	L/W(40)	12 - 1/2"	10	18	375,00
MC200820PU	820.060	L	8 - 5/16"	20	20	369,50
MC201020PU	820.062	L	10 - 3/8"	20	20	383,00
MC201025PU	820.063	L	10 - 3/8"	25	20	412,00
MC201315PU	820.064	L	12 - 1/2"	15	20	389,50

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Gesloten haspels "MC" vervolg						
MC 603815ST	825.001	O/W(40)	---	---	60	291,50
MC 601210ST	825.002	O/W(40)	---	---	60	291,50
MC 603810	820.035	O/W(40)	10 - 3/8"	10	60	375,00
MC 603815	820.036	O/W(40)	10 - 3/8"	15	60	437,00
MC 601210	820.037	O/W(40)	12 - 1/2"	10	60	385,00
MC 4G1415ST	825.004	V	---	---	400	291,50
MC 4G1410	820.040	V	6 - 1/4"	10	400	375,00
MC 4G1415	820.041	V	6 - 1/4"	15	400	437,00
MC 4H3815ST	825.005	W(150)	---	---	400	291,50
MC 4H3810	820.042	W(150)	8 - 5/16"	10	400	416,50
MC 4H5110	820.043	W(150)	6 - 1/4"	10	400	406,50
MC 4H5115	820.044	W(150)	6 - 1/4"	15	400	464,00
MC 601207	820.068	O(100)	12 - 1/2"	7	60	385,00
Open haspels (smal) "A"						
A 183820ST	825.012	L	---	---	18	291,50
A 180810	820.100	L/W(40)	8 - 5/16"	10	18	316,50
A 180815	820.101	L/W(40)	8 - 5/16"	15	18	350,50
A 180820	820.102	L/W(40)	8 - 5/16"	20	18	383,00
A 181010	820.103	L/W(40)	10 - 3/8"	10	18	323,00
A 181015	820.104	L/W(40)	10 - 3/8"	15	18	360,50
A 181020	820.105	L/W(40)	10 - 3/8"	20	18	383,00
A 181310	820.106	L/W(40)	12 - 1/2"	10	18	375,00
A 181315	820.107	L/W(40)	12 - 1/2"	15	18	409,00
A200820PU	820.110	L	8 - 5/16"	20	20	369,50
A200825PU	820.111	L	8 - 5/16"	25	20	394,00
A201020PU	820.112	L	10 - 3/8"	20	20	383,00
A201025PU	820.113	L	10 - 3/8"	25	20	412,00
A201315PU	820.114	L	12 - 1/2"	15	20	389,50
A 603815ST	825.010	O/W(40)	---	---	60	291,50
A 601215ST	825.011	O/W(40)	---	---	60	291,50
A 603810	820.120	O/W(40)	10 - 3/8"	10	60	375,00
A 603815	820.121	O/W(40)	10 - 3/8"	15	60	437,00
A 601210	820.122	O/W(40)	12 - 1/2"	10	60	385,00
A 601215	820.123	O/W(40)	12 - 1/2"	15	60	448,50
A 4G1415ST	825.013	V	---	---	400	291,50
A 4G1410	820.140	V	6 - 1/4"	10	400	375,00
A 4G1415	820.141	V	6 - 1/4"	15	400	437,00

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Open haspels (smal) "A" vervolg						
A 4H3815ST	825.014	W(150)	---	---	400	291,50
A 4H3810	820.142	W(150)	8 - 5/16"	10	400	416,50
A 4H3815	820.143	W(150)	8 - 5/16"	15	400	500,00
A 4H5110	820.144	W(150)	6 - 1/4"	10	400	406,50
A 4H5115	820.145	W(150)	6 - 1/4"	15	400	464,00
Open haspels (extra breed) "AL"						
AL 183825ST	825.022	L	---	---	18	375,00
AL 180825	820.160	L/W(40)	8 - 5/16"	25	18	437,00
AL 181020	820.161	L/W(40)	10 - 3/8"	20	18	437,00
AL 181025	820.162	L/W(40)	10 - 3/8"	25	18	474,00
AL 181315	820.163	L/W(40)	12 - 1/2"	15	18	463,00
AL 181320	820.164	L/W(40)	12 - 1/2"	20	18	517,00
AL 181610	820.165	L/W(40)	16 - 5/8"	10	18	450,50
AL 181615	820.166	L/W(40)	16 - 5/8"	15	18	507,00
AL201320PU	820.170	L	12 - 1/2"	20	20	498,00
AL201325PU	820.171	L	12 - 1/2"	25	20	529,50
AL 603820ST	825.020	O/W(40)	---	---	60	375,00
AL 601220ST	825.021	O/W(40)	---	---	60	375,00
AL 603820	820.180	O/W(40)	10 - 3/8"	20	60	542,00
AL 601220	820.181	O/W(40)	12 - 1/2"	20	60	582,50
AL 4G1420ST	825.023	V	---	---	400	375,00
AL 4G3820ST	825.025	V	---	---	400	375,00
AL 4G1420	820.190	V	6 - 1/4"	20	400	542,00
AL 4G3815	820.193	V	10 - 3/8"	15	400	569,00
AL 4H3820ST	825.024	W(150)	---	---	400	375,00
AL 4H3820	820.191	W(150)	10 - 3/8"	20	400	625,00
AL 4H5120	820.192	W(150)	8 - 5/16"	20	400	608,50
Open haspels "V"						
V 183820ST	825.015	L	---	---	18	291,50
V 180810	820.401	L/W(40)	8 - 5/16"	10	18	316,50
V 180815	820.402	L/W(40)	8 - 5/16"	15	18	350,50
V 180820	820.403	L/W(40)	8 - 5/16"	20	18	383,00
V 181010	820.404	L/W(40)	10 - 3/8"	10	18	323,00
V 181015	820.405	L/W(40)	10 - 3/8"	15	18	360,50
V 181020	820.406	L/W(40)	10 - 3/8"	20	18	383,00
V 181310	820.407	L/W(40)	12 - 1/2"	10	18	375,00
V 181315	820.408	L/W(40)	12 - 1/2"	15	18	409,00

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Open haspels "V" vervolg						
V 200820PU	820.409	L	8 - 5/16"	20	20	369,50
V 200825PU	820.410	L	8 - 5/16"	25	20	394,00
V 201020PU	820.411	L	10 - 3/8"	20	20	383,00
V 201025PU	820.412	L	10 - 3/8"	25	20	412,00
V 201315PU	820.413	L	12 - 1/2"	15	20	389,50
V 603815ST	825.016	O/W(40)	---	---	60	291,50
V 601215ST	825.017	O/W(40)	---	---	60	291,50
V 603810	820.420	O/W(40)	10 - 3/8"	10	60	375,00
V 603815	820.421	O/W(40)	10 - 3/8"	15	60	437,00
V 601210	820.422	O/W(40)	12 - 1/2"	10	60	385,00
V 601215	820.423	O/W(40)	12 - 1/2"	15	60	448,50
V 4G1415ST	825.018	V	---	---	400	291,50
V 4G1410	820.425	V	6 - 1/4"	10	400	375,00
V 4G1415	820.426	V	6 - 1/4"	15	400	437,00
V 4H3815ST	825.019	W(150)	---	---	400	291,50
V 4H3810	820.427	W(150)	10 - 3/8"	10	400	416,50
V 4H3815	820.428	W(150)	10 - 3/8"	15	400	500,00
V 4H5110	820.429	W(150)	8 - 5/16"	10	400	406,50
V 4H5115	820.430	W(150)	8 - 5/16"	15	400	464,00
V 601207	820.450	O(100)	12 - 1/2"	7	60	385,00
Open haspels "VL"						
VL 183825ST	825.026	L	---	---	18	375,00
VL 180825	820.431	L/W(40)	8 - 5/16"	25	18	437,00
VL 181020	820.432	L/W(40)	10 - 3/8"	20	18	437,00
VL 181025	820.433	L/W(40)	10 - 3/8"	25	18	474,00
VL 181315	820.434	L/W(40)	12 - 1/2"	15	18	463,00
VL 181320	820.435	L/W(40)	12 - 1/2"	20	18	517,00
VL 181610	820.436	L/W(40)	16 - 5/8"	10	18	450,50
VL 181615	820.437	L/W(40)	16 - 5/8"	15	18	507,00
VL 201320PU	820.438	L	12 - 1/2"	20	20	498,00
VL 201325PU	820.439	L	12 - 1/2"	25	20	529,50
VL 603820ST	825.027	O/W(40)	---	---	60	375,00
VL 601220ST	825.028	O/W(40)	---	---	60	375,00
VL 603820	820.440	O/W(40)	10 - 3/8"	20	60	542,00
VL 601220	820.441	O/W(40)	12 - 1/2"	20	60	582,50
VL 4G1420ST	825.029	V	---	---	400	375,00
VL 4G3820ST	825.032	V	---	---	400	375,00
VL 4G1420	820.442	V	6 - 1/4"	20	400	542,00

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Open haspels "VL" vervolg						
VL 4H3820ST	825.033	W(150)	---	---	400	375,00
VL 4H3820	820.443	W(150)	10 - 3/8"	20	400	625,00
VL 4H5120	820.444	W(150)	8 - 5/16"	20	400	608,50
VL2T 4V3820ST	820.445	O/Verf	---	---	400	582,00
Open Duo-haspels "OSV"						
OSV 203820ST	820.259	O/A	---	---	20	643,50
OSV 200815	820.250	O/A	8 - 5/16"	15	20	752,00
OSV 200820	820.251	O/A	8 - 5/16"	20	20	810,50
OSV 201010	820.252	O/A	10 - 3/8"	10	20	740,50
OSV 201015	820.253	O/A	10 - 3/8"	15	20	777,00
Monosupport haspels "BG"						
BG 181230ST	820.530	L/W(40)	---	---	18	801,00
BG 181325	820.500	L/W(40)	12 - 1/2"	25	18	1.010,00
BG 181330	820.501	L/W(40)	12 - 1/2"	30	18	1.047,00
BG 181625	820.502	L/W(40)	16 - 5/8"	25	18	1.047,00
BG 181920	820.503	L/W(40)	19 - 3/4"	20	18	1.047,00
BG 182515	820.504	L/W(40)	25 - 1"	15	18	1.074,00
BG 600125ST	820.531	O/W(40)	---	---	60	801,00
BG 601225	820.510	O/W(40)	12 - 1/2"	25	60	1.052,00
BG 601230	820.511	O/W(40)	12 - 1/2"	30	60	1.095,00
BG 605825	820.512	O/W(40)	16 - 5/8"	25	60	1.127,00
BG 603420	820.513	O/W(40)	19 - 3/4"	20	60	1.127,00
BG 600115	820.514	O/W(40)	25 - 1"	15	60	1.164,00
BG 4G3830ST	820.533	V	---	---	400	801,00
BG 4G3825	820.520	V	10 - 3/8"	25	400	1.079,00
BG 4G3830	820.521	V	10 - 3/8"	30	400	1.132,00
BG 4H1230ST	820.532	W(150)	---	---	400	801,00
BG 4H3825	820.522	W(150)	10 - 3/8"	25	400	1.175,00
BG 4H3830	820.523	W(150)	10 - 3/8"	30	400	1.243,00
BG 3H1225	820.524	W(150)	12 - 1/2"	25	300	1.239,00
BG 3H1230	820.525	W(150)	12 - 1/2"	30	300	1.311,00
Gesloten haspels RVS "MPX"						
MPX 200805	820.260	L/W(70)	8 - 5/16"	5	20	184,50
MPX 201003	820.261	L/W(70)	10 - 3/8"	3	20	189,00

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Gesloten haspels RVS "MGPX"						
MGPX 200815	820.262	L/W(70)	8 - 5/16"	15	20	270,00
MGPX 201012	820.263	L/W(70)	10 - 3/8"	12	20	284,00
Gesloten haspels RVS "MCX"						
MCX 601210ST	825.034	W(100)	---	---	60	615,00
MCX 101310K	820.206	W(80)	12 - 1/2"	10	10	697,50
MCX 4H3815ST	825.035	W(150)	---	---	400	615,00
MCX 4H3810	820.230	W(150)	10 - 3/8"	10	400	744,50
MCX 4H5110	820.231	W(150)	8 - 5/16"	10	400	739,00
MCX 4H5115	820.232	W(150)	8 - 5/16"	15	400	801,00
Open haspels RVS (smal) "AX"						
AX 601215ST	825.031	W(100)	---	---	60	558,50
AX 101310K	820.210	W(80)	12 - 1/2"	10	10	642,00
AX 101315K	820.211	W(80)	12 - 1/2"	15	10	675,00
AX 101610K	820.212	W(80)	16 - 5/8"	10	10	651,00
AX 4H3815ST	825.030	W(150)	---	---	400	558,50
AX 4H3810	820.200	W(150)	10 - 3/8"	10	400	688,50
AX 4H3815	820.201	W(150)	10 - 3/8"	15	400	753,50
AX 4H5110	820.202	W(150)	8 - 5/16"	10	400	682,50
AX 4H5115	820.203	W(150)	8 - 5/16"	15	400	746,00
Open haspels RVS (extra breed) "ALX"						
ALX 601220ST	825.041	W(100)	---	---	60	699,50
ALX 101320K	820.213	W(80)	12 - 1/2"	20	10	849,50
ALX 101615K	820.214	W(80)	16 - 5/8"	15	10	831,50
ALX 4H3820ST	825.040	W(150)	---	---	400	699,50
ALX 4H3820	820.204	W(150)	10 - 3/8"	20	400	960,00
ALX 4H5120	820.205	W(150)	8 - 5/16"	20	400	950,00

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
Open haspels RVS (smal) "VX"						
VX 601215ST	825.042	W(100)	---	---	60	558,50
VX 101310K	820.280	W(80)	12 - 1/2"	10	10	642,00
VX 101315K	820.281	W(80)	12 - 1/2"	15	10	675,00
VX 101610K	820.282	W(80)	16 - 5/8"	10	10	651,00
VX 4H3815ST	825.043	W(150)	---	---	400	558,50
VX 4H3810	820.283	W(150)	10 - 3/8"	10	400	688,50
VX 4H3815	820.284	W(150)	10 - 3/8"	15	400	753,50
VX 4H5110	820.285	W(150)	8 - 5/16"	10	400	682,50
VX 4H5115	820.286	W(150)	8 - 5/16"	15	400	746,00
Open haspels RVS (extra breed) "VLX"						
VLX 601220ST	825.044	W(100)	---	---	60	699,50
VLX 101320K	820.270	W(80)	12 - 1/2"	20	10	849,50
VLX 101615K	820.271	W(80)	16 - 5/8"	15	10	831,50
VLX 4H3820ST	825.045	W(150)	---	---	400	699,50
VLX 4H3820	820.272	W(150)	10 - 3/8"	20	400	960,00
VLX 4H5120	820.273	W(150)	8 - 5/16"	20	400	950,00
Monosupport haspels RVS "BGX"						
BGX 600125ST	820.540	W(150)	---	---	60	1.068,00
BGX 101325K	820.541	W(80)	12 - 1/2"	25	18	1.244,00
BGX 181330K	820.542	W(80)	12 - 1/2"	30	18	1.269,00
BGX 181625K	820.543	W(80)	16 - 5/8"	25	18	1.303,00
BGX 181920K	820.544	W(80)	19 - 3/4"	20	18	1.287,00
BGX 182515K	820.545	W(80)	25 - 1"	15	18	1.287,00
BGX 4H1230ST	820.550	W(150)	---	---	400	1.068,00
BGX 4H3825	820.546	W(150)	10 - 3/8"	25	400	1.442,00
BGX 4H3830	820.547	W(150)	10 - 3/8"	30	400	1.510,00
BGX 3H1225	820.548	W(150)	12 - 1/2"	25	300	1.506,00
BGX 3H1230	820.549	W(150)	12 - 1/2"	30	300	1.649,00
<p><u>Alleen</u> de types MN en MD worden standaard geleverd met draibare ophangbeugels. Bij alle andere types kunnen deze draibare ophangbeugels tegen meerprijs (zie onder) apart worden bijbesteld.</p>						

Type	Artikel nummer	Toe-passing	Slang Ø (mm - inch)	Slang-lengte (m.)	Druk (bar)	Prijs (€)
<u>DRAAIBARE OPHANGBEUGELS</u>						
MC SG10	820.300	voor types MC				17,30
A SG15R	820.311	voor types A - V				28,90
AL SG20R	820.312	voor types AL - VL - VGL - OSV				33,60
MCX SG10	820.305	voor types MCX				44,00
AX SG15	820.303	voor types AX - VX				53,30 U
AX SG15R	820.313	voor types AX - VX				62,60
ALX SG20	820.304	voor types ALX - VLX - VGLX				62,60 U
ALX SG20R	820.314	voor types ALX - VLX - VGLX				74,10
BG SG30	820.307	voor types BG				134,40
BGX SG30	820.306	voor types BGX				268,90

U = Uitlopend