

call



General Catalogue Balancers

CAPACITY 0,2 ÷ 180 kg



Sicherhal gericht testes salety

CE ATEXEX

www.tecna.net



quality. Furthermore, the use of the TECNA BALANCERS reduces hoses and cables wear and avoids eventual damages to both people and tools.

The application of the TECNA BALANCER is absolutely versatile: it may be used for bench or assembly line works and it may be suitably applied to small tools, industrial suspended welders and multiple screw drivers. The ergonomic structure of the TECNA balancers has been designed to facilitate each application of use, ranging from movement easiness to body robustness, from simple use to lifting power.

TECNA, as a primary manufacturer, realizes special as well as customized versions upon demand.







## 9200÷9203

## **HOSE BALANCERS**

Used for arranging ergonomic work stations.

Applications: Screw drivers - Drills - Shearing machines - Tools for electronics - Air guns.

## **ADVANTAGES**

Maximum ease of use.

Minimum overall dimensions as the tool is supported by the hose.

Polyurethane hose.

Rugged construction, cast aluminium body.


Adjustable capacity.

Springs properly sized to ensure long life and smooth running.


Adjustable stroke limiting device.

Auxiliary safety suspension.

## 24









**Max operating pressure:** 

8 bar

**Max operating temperature:** 

50°

Item	9200	9201	9202	9203
Å	0,4÷0,8	0,75÷1,5	1,2÷2,5	3÷5
kg	1,25	1,30	1,35	1,35



GPS N44° 24' 24" - E11° 35' 13"

Via Meucci, 27 40024 - Castel San Pietro Terme (B0) Italy Tel. +39 051 695 4411 Fax +39 051 654 4490 www.tecna.net

vendite@tecna.net sales@tecna.net